



## In-Swing Steel Entry Door

404 Roblin Blvd.  
Winkler, Mb.  
R6W 0N4

Phone: (204) 325-8053  
Fax: (204) 325-5516  
Web: www.Berdick.com

Product Series	GLAZING OPTIONS					THERMAL PERFORMANCE			
	# of panes of Glass	# of Low E Films	Low-E Type	Glazing Cavity	Grille Bar	Visual Transmittance (VT)	U-Factor (W/m2k)	Door SHGC	Energy Rating (Calculated) (ER)
In-Swing Steel Entry Door-Solid	N/A	N/A	N/A	N/A		0	0.85	0	21
In-Swing Steel Entry Door-Full Lite	2	1	180 Low-E	Argon		0.34	1.42	0.28	25
In-Swing Steel Entry Door-Full Lite	2	1	180 Low-E	Argon	Y	0.29	1.42	0.25	23
In-Swing Steel Entry Door-Full Lite	2	1	272 Low-E	Argon		0.31	1.42	0.18	19
In-Swing Steel Entry Door-Full Lite	2	1	272 Low-E	Argon	Y	0.27	1.42	0.16	18
In-Swing Steel Entry Door-Full Lite	3	1	180 Low-E	Argon		0.31	1.36	0.26	25
In-Swing Steel Entry Door-Full Lite	3	1	180 Low-E	Argon	Y	0.27	1.42	0.23	22
In-Swing Steel Entry Door-Full Lite	3	1	272 Low-E	Argon		0.28	1.31	0.17	21
In-Swing Steel Entry Door-Full Lite	3	1	272 Low-E	Argon	Y	0.24	1.42	0.15	17
In-Swing Steel Entry Door-3/4 Lite	2	1	180 Low-E	Argon		0.25	1.31	0.21	23
In-Swing Steel Entry Door-3/4 Lite	2	1	180 Low-E	Argon	Y	0.22	1.31	0.19	22
In-Swing Steel Entry Door-3/4 Lite	2	1	272 Low-E	Argon		0.23	1.31	0.14	19
In-Swing Steel Entry Door-3/4 Lite	2	1	272 Low-E	Argon	Y	0.2	1.31	0.12	18
In-Swing Steel Entry Door-3/4 Lite	3	1	180 Low-E	Argon		0.23	1.25	0.19	23
In-Swing Steel Entry Door-3/4 Lite	3	1	180 Low-E	Argon	Y	0.2	1.31	0.17	21
In-Swing Steel Entry Door-3/4 Lite	3	1	272 Low-E	Argon		0.21	1.25	0.13	20
In-Swing Steel Entry Door-3/4 Lite	3	1	272 Low-E	Argon	Y	0.18	1.31	0.12	18
In-Swing Steel Entry Door-1/2 Lite	2	1	180 Low-E	Argon		0.19	1.19	0.16	23
In-Swing Steel Entry Door-1/2 Lite	2	1	180 Low-E	Argon	Y	0.16	1.19	0.14	22
In-Swing Steel Entry Door-1/2 Lite	2	1	272 Low-E	Argon		0.17	1.19	0.1	19
In-Swing Steel Entry Door-1/2 Lite	2	1	272 Low-E	Argon	Y	0.15	1.19	0.09	19
In-Swing Steel Entry Door-1/2 Lite	3	1	180 Low-E	Argon		0.17	1.14	0.14	23
In-Swing Steel Entry Door-1/2 Lite	3	1	180 Low-E	Argon	Y	0.15	1.19	0.13	21
In-Swing Steel Entry Door-1/2 Lite	3	1	272 Low-E	Argon		0.15	1.14	0.1	20
In-Swing Steel Entry Door-1/2 Lite	3	1	272 Low-E	Argon	Y	0.13	1.19	0.09	19

\*Performance Ratings For 1 Low-E Coat

\*\*Based on 3mm/4mm Glass Thickness

\*\*\*For 2 Low-E Coatings or 5mm/6mm Glass Ratings, Please contact our office.

**Custom is the new normal.**